

EC CERTIFICATE OF CONFORMITY

Number: 1121 - CPD - AA0003

In compliance with Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to construction products (Construction Products Directive - CPD), amended by the Directive 93/68/EEC of the Council of European Communities of 22 July 1993, it is confirmed that the following products are subject to factory production control procedures and are submitted by the manufacturer to further testing of samples taken at the factory in accordance with a prescribed test plan. The stated Notified Certification Body has performed the initial type-testing for the relevant characteristics of the product, has conducted the initial inspection of the factory and the factory production control, and is responsible for the continuous surveillance, assessment and approval of the factory production control.

construction product : **Panic Exit Devices "IDEA" Series as detailed on pages 2 and 3**

placed on the market by:

Company:

ISEO Serrature S.p.a.

Address:

Via S. Girolamo 13, 25055 Pisogne (BS), Italy

product classification:

3	7	6	1*	1	4	2	2	A
---	---	---	----	---	---	---	---	---

intended use:

For use on fire rated single leaf and double leaf escape route doors

and product classification:

3	7	6	0	1	4	2	2	A
---	---	---	---	---	---	---	---	---

intended use:

For use on non- fire rated single leaf and double leaf escape route doors

This document certifies that all the provisions concerning the attestation of conformity and product performance described in Annex ZA of the product standard

EN 1125:1997 + A1 :2001 (incl. Corrigendum March 2002)

were applied and that the product fulfils all the prescribed requirements.

Notified Certification Body: **Warrington Certification Ltd**

EC Reference Number: **1121**

This certificate was first issued on **29/07/2002**, amended on **09/05/03**, and remains valid as long as the conditions laid down in the harmonised technical specification above, or the product design, or the manufacturing conditions in the factory, or the FPC itself are not modified significantly, or at the latest **29/07/2007**.



Manager – Warrington Certification Ltd.

References:

Mechanical test evidence: WCL 819; ICIM 017AD/0, 018AD/0, 019AD/0
 Factory references: F001

Fire test evidence: Institute Giordano 161718
 Classification report: N/a

* The referenced reports detail the precise field of application for fire/smoke door use

Warrington Certification Ltd., Holmesfield Road, Warrington, WA1 2DS, UK

EC CERTIFICATE OF CONFORMITY

Number: 1121 - CPD - AA0003

Part Number	Description ISEO Panic exit devices "IDEA" Series	Non-fire door use	For Fire door use	For Fire door use
		Zamak	Steel	Stainless steel
9411000*5	Single point locking mechanism	✓	-	-
9412000*5	Two point locking mechanism	✓	✓	-
9414000*5	Single point locking mechanism - modular	✓	-	-
9414000*4	Single point locking mechanism - modular	-	✓	-
9410001*04	Pullman latch - top or bottom	-	✓	-
9410003*04	Pullman latch - lateral	-	✓	-
9414000524	Single point locking mechanism - modular	-	-	✓
9410001524	Pullman latch - top or bottom	-	-	✓
9410003524	Pullman latch - lateral	-	-	✓
9410001*05	Pullman latch - top or bottom	✓	-	-
9410003*05	Pullman latch - lateral	✓	-	-
9410008*	Zamak keep - adjustable	✓	-	-
9410009*	Zamak keep - fixed	✓	-	-
94591*	Bar - 830 mm long	✓	✓	✓
94592*	Bar - 1130 mm long	✓	✓	✓
9410020*	Rods and covers - 2270 mm max	✓	✓	✓
9410011*	Steel keep - lateral + upper, with spacers	✓	✓	✓
9410012*	Steel keep - bottom	✓	✓	✓
9410010*	Steel keep - double doors, with spacers	✓	✓	✓
94100040	Steel baseplate - mechanism	✓	✓	✓
94100042	Stainless steel baseplate - mechanism	✓	✓	✓
94100050	Steel base plate - pullman latch	✓	✓	✓
94100052	Stainless steel baseplate - pullman latch	✓	✓	✓
94100060	Microswitch kit	✓	-	-
94100070	Dogging device kit	✓	-	-
9401100*	Access device - Lever handle + cylinder	✓	-	-
9401200*	Access device - Rotary knob + cylinder	✓	-	-
9401300*	Access device - Fixed knob + cylinder	✓	-	-
9401400*	Access device - Lever handle	✓	-	-
9401500*	Access device - Rotary knob	✓	-	-
9401100*T	Access device - Lever handle + cylinder	✓	✓	✓
9410201*05	Pullman latches - top & bottom vertical	✓	-	-
9410203*05	Pullman latches - top & bottom lateral	✓	-	-
9410204*05	Pullman latches - top vertical & bottom lateral	✓	-	-
9410201*04	Pullman latches - top & bottom vertical	-	✓	-
9410203*04	Pullman latches - top & bottom lateral	-	✓	-
9410204*04	Pullman latches - top vertical & bottom lateral	-	✓	-
9410201524	Pullman latches - top & bottom vertical	-	-	✓
9410203524	Pullman latches - top & bottom lateral	-	-	✓
9410204524	Pullman latches - top vertical & bottom lateral	-	-	✓

Notified Certification Body: **Warrington Certification Ltd**

EC Reference Number: **1121**

This certificate was first issued on **29/07/2002**, amended on **09/05/03**, and remains valid as long as the conditions laid down in the harmonised technical specification referenced, or the product design, or the manufacturing conditions in the factory, or the FPC itself are not modified significantly, or at the latest **29/07/2007**.



Manager – Warrington Certification Ltd.

EC CERTIFICATE OF CONFORMITY

Number: 1121 - CPD - AA0003

Part Number	Description ISEO Panic exit devices "IDEA" Series	Non-fire door use	For Fire door use	For Fire door use
		Zamak	Steel	Stainless steel
9410013*	Zamak keep – adjustable	✓	-	-
9410014*	Zamak keep – adjustable	✓	-	-
9410015*	Zamak keep – adjustable	✓	-	-
9402100*	Access device - Lever handle + cylinder	✓	-	-
94000030	Intumescent gasket kit	✓	✓	✓
9412000**5	Two point locking mechanism	✓	-	-
9412083**5	Two point panic device – vertical locking	✓	-	-
9413083**5	Three point panic device – 2 vertical and 1 lateral locking	✓	-	-
9414083**5	Single point panic device – lateral locking	✓	-	-
945083**5	Double door panic device – single point; two point vertical locking	✓	-	-
9416083**5	Three point panic device – 3 lateral locking	✓	-	-
9417083**5	Three point panic device – 1 top vertical and 2 lateral	✓	-	-
9412083**4	Two point panic device – vertical locking	-	✓	-
9413083**4	Three point panic device – 2 vertical and 1 lateral locking	-	✓	-
9414083**4	Single point panic device – lateral locking	-	✓	-
9415083**4	Double door panic device – single point; two point vertical locking	-	✓	-
9416083**4	Three point panic device – 3 lateral locking	-	✓	-
9417083**4	Three point panic device – 1 top vertical and 2 lateral	-	✓	-

Notified Certification Body: **Warrington Certification Ltd**

EC Reference Number: **1121**



This certificate was first issued on **29/07/2002**, amended on **09/05/03**, and remains valid as long as the conditions laid down in the harmonised technical specification referenced, or the product design, or the manufacturing conditions in the factory, or the FPC itself are not modified significantly, or at the latest **29/07/2007**.

Manager – Warrington Certification Ltd.