

## EC CERTIFICATE OF CONFORMITY

**Number: 1121 - CPD - AA0004**

In compliance with Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to construction products (Construction Products Directive - CPD), amended by the Directive 93/68/EEC of the Council of European Communities of 22 July 1993, it is confirmed that the following products are subject to factory production control procedures and are submitted by the manufacturer to further testing of samples taken at the factory in accordance with a prescribed test plan. The stated Notified Certification Body has performed the initial type-testing for the relevant characteristics of the product, has conducted the initial inspection of the factory and the factory production control, and is responsible for the continuous surveillance, assessment and approval of the factory production control.

construction product : **Panic Exit Devices "PUSH" Series as detailed on page 2**

placed on the market by:

Company:

**ISEO Serrature S.p.a.**

Address:

**Via S. Girolamo 13, 25055 Pisogne (BS), Italy**

product classification:

3	7	6	1*	1	4	2	2	B
---	---	---	----	---	---	---	---	---

intended use:

**For use on fire rated single leaf and double leaf escape route doors**

and product classification:

3	7	6	0	1	3	2	2	B
---	---	---	---	---	---	---	---	---

intended use:

**For use on non- fire rated single leaf and double leaf escape route doors**

This document certifies that all the provisions concerning the attestation of conformity and product performance described in Annex ZA of the product standard

**EN 1125:1997 + A1 :2001 (incl. Corrigendum March 2002)**

were applied and that the product fulfils all the prescribed requirements.

Notified Certification Body: **Warrington Certification Ltd**

EC Reference Number: **1121**

This certificate was first issued on **29/07/2002**, amended on **09/05/03**, and remains valid as long as the conditions laid down in the harmonised technical specification above, or the product design, or the manufacturing conditions in the factory, or the FPC itself are not modified significantly, or at the latest **29/07/2007**.



**Manager – Warrington Certification Ltd.**

**References:**

Mechanical test evidence: WCL 819; ICIM 004AD/1, 005AD/1, 006AD/1, 007AD/1  
 Factory references: F001

Fire test evidence: Institute Giordano 166154  
 Classification report: N/a 166155

\* The referenced reports detail the precise field of application for fire/smoke door use



## EC CERTIFICATE OF CONFORMITY

Number: 1121 - CPD - AA0004

Part Number	Description ISEO Panic exit devices "PUSH" Series	Not for Fire Door use	For Fire door use
9444084**T	Single point locking - 840 mm long - modular	-	✓
9444117**T	Single point locking - 1170 mm long - modular	-	✓
9440205*T	St. Steel Pullman latches - top & bottom	-	✓
9440005*T	St. Steel rods & covers with top & bottom latches	-	✓
9440200*	Rods and covers - 2265 mm max	✓	✓
9440201*	Rods and covers - 3200 mm max	✓	✓
9444084**	Single point locking - 840 mm long - modular	✓	-
9444117**	Single point locking - 1170 mm long - modular	✓	-
9444130**	Single point locking - 1300 mm long - modular	✓	-
9441084**	Single point locking - 840 mm long	✓	-
9441117**	Single point locking - 1170 mm long	✓	-
9441053**	Single point locking - 530 mm long	✓	-
9442084**	Two point locking - 840 mm long	✓	-
9442117**	Two point locking - 1170 mm long	✓	-
9442073**	Two point locking - 730 mm long	✓	-
9443084**	Three point locking - 840 mm long	✓	-
9443117**	Three point locking - 1170 mm long	✓	-
9440200*	Rods and covers - 2265 mm max	✓	-
9440201*	Rods and covers - 3200 mm max	✓	-
9440205*	Latchbolt - Top & bottom - Zamak	✓	-
9440206*	Latchbolt - Lateral - Zamak	✓	-
9440209*	Latchbolt - lateral LH - Zamak	✓	-
9440210*	Latchbolt - lateral RH - Zamak	✓	-
5670000	Electric strike	✓	-
9401100*	Access device - Lever handle + cylinder	✓	-
9401200*	Access device - Rotary knob + cylinder	✓	-
9401300*	Access device - Fixed knob + cylinder	✓	-
9401400*	Access device - Lever handle	✓	-
9401500*	Access device - Rotary knob	✓	-
9402100*	Access device - Lever handle + cylinder	✓	-
9401100*T	Access device - Lever handle + cylinder	✓	✓
94000010	Intumescent gasket kit	✓	✓
94490815829	Single point Mortice locking – 811 mm	✓	✓
94491165829	Single point Mortice locking – 1161 mm	✓	✓
214654..D	Mortice lock – Right hand	✓	✓
214654..S	Mortice lock – Left hand	✓	✓
032094	Mortice lock striking plate	✓	✓
9440105*	Rods & covers with top & bottom latches – 2265 mm max	✓	✓
9440005*	Rods & covers with top & bottom latches – 2500 mm max	✓	✓
9440106*	Rods & covers with lateral latches – 2265 mm max	✓	-
9440006*	Rods & covers with lateral latches – 2500 mm max	✓	-
9440109*	Rods & covers with lateral LH latches – 2265 mm max	✓	-
9440009*	Rods & covers with lateral LH latches – 2500 mm max	✓	-
9440110*	Rods & covers with lateral RH latches – 2265 mm max	✓	-
9440010*	Rods & covers with lateral RH latches – 2500 mm max	✓	-

Notified Certification Body: **Warrington Certification Ltd**

EC Reference Number: **1121**

This certificate was first issued on **29/07/2002**, amended on **09/05/03**, and remains valid as long as the conditions laid down in the harmonised technical specification referenced, or the product design, or the manufacturing conditions in the factory, or the FPC itself are not modified significantly, or at the latest **29/07/2007**.



Manager – Warrington Certification Ltd.